




Transrotor Avorio



Instruction Manual

RÄKE HIFI/VERTRIEB GMBH, IRLNFELDER WEG 43, D-51467 BERG. GLADBACH
Telefon 02202/31046 Telefax 02202/36844

Our turntables are precise mechanical master-pieces, expressing a consequent handicraft.

It is our goal to manufacture a turntable for our customers which sounds excellent, is comfortable and logically to handle, made only of best material, functions for decades and later offers an easy service.

DELIVERY EXTENT (Standard)

(LIEFERUMFANG)

Before building up the turntable please check if all parts are enclosed.

Motor

Power-supply-unit

3 Turntable feet

Belt

Platter

One pair of cotton gloves

Bag of tonearm-accessories and instruction manual


(Cartridge-accessories & instruction manual)

CONSTRUCTION

(AUFBAU)

Please start to build-up the turntable at its final place, because of difficult transport after construction. To avoid fingerprints on perspex and polished parts please put on the enclosed gloves.

1. Arrange the three turntable feet in a triangle-form (two in the front and one midst in the back).
2. Lay the turntable chassis on the feet.
3. Place the motor as shown on the drawing. The motor can be placed around the platter, the distance of 5 mm between platter and motor must be kept.



4. Fix the belt around the -platter and the motor-pully. The inner-platter has **one** separate groove, the motor-pully has **two** grooves:

upper groove (small diameter) = $33 \frac{1}{3}$ U/min

lower groove (big diameter) = 45 U/min

5. Take the platter out of the packing and set it on to the mainbearing.
6. Put the plug of the motor-cable into the power-supply-unit. Connect the power-supply-unit with the circuit. Basically the power-supply-unit can remain plugged-in as the power consumption with switched-off motor is

quite insignificant. Disconnect the power-supply-unit only in case of longer no-usage.

7. Connect the tonarm-cable with both plugs at the phono-entrance of your amplifier:

red = right channel
black = left channel

8. Please take information regarding the tonearm-adjustment from the special tonearm instruction-manual.
 9. Please take information and dates regarding the installation of the cartridge from the special cartridge-manual.
-

USAGE

Always switch-off the motor before laying a record on the platter.

Listening of records

1. Lay a record on the platter.
2. If a platter-weight is available, set it on the platter-spindle, so even slight wavy records can be played with accuracy and a high quality standard.
3. Move the tonearm over the first groove of the record and then lower it with the tonearm-lift.

SPECIALITIES

- The mainbearing-oil has to be checked once a year. It has to be exchanged in case of discolouration or if dirt particles are discovered.
-

CARE-INDICATION

Your Transrotor-turntable is manufactured only of very best material. All parts are sturdy, easy-care and made for a longlasting use. Please pay attention to the following indications to keep your turntable in a brilliant state.

Dustcover, chassis and platter

Always use a moisty leather for normal cleaning. Never use a dry leather as scratches on the surface increase. You achieve the best result by using the cleaning-lotion **Laser Clean** and the soft Laser Cloth. In addition the cleaned parts are mostly free of statical loading. Oil or grease stains can be removed easily by using benzine (pharmacy).

Aluminum and metal parts

Also here, oil and grease stains can be removed with benzine. Slight scratches can be removed with a special aluminium-polish. Please do not use any other polish or cleaning agent.

Belt

Rub the belt every once in a while in talcum. Remove loose talcum with a dry cloth before fixing the belt at the platter.

The careset contains:

- Aluminium-polish
 - Laser Clean
 - Laser Cloth
 - One pair of cotton gloves
 - (can be ordered through your dealer or via our service-number)
-

ADDITIONAL DATA

Avorio

Measurements: (w x d x h)

44cm x 33cm x 17cm (depends on placing of motor)

Weight:

approx. 20 kg

In case you have further questions regarding your turntable, accessory or service parts please ask your dealer or contact us via telephone.

Service-number:

Monday – Thursday from 15.00 to 16.00pm, Tel: ++49-2202-31046

This turntable is expressly subject to any technical alterations, errors and omissions.